


8				7				6				5				4			
ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	ITEM NO.	QTY.	PART NUMBER	DESCRIPTION
1	1	TB2503-201	TOOLBAR	15	1	1769	CAT 3 TL Pin 4.39 Usable	16	2	1606	CAT III HITCH PIN	17	2	1698	7/16 X 2 LYNCH PIN	18	1	2971	MANUAL CANISTER 3-1/4 X 12
2	4	SI1302-101	1125 HYBRID SHANK	16	2	1606	CAT III HITCH PIN	17	2	1698	7/16 X 2 LYNCH PIN	18	1	2971	MANUAL CANISTER 3-1/4 X 12	19	1	TOOLBOX_INJ	Injection Sled
3	4	SI0708-105.75	HYBRID SHANK CLAMP (75 BAR)	17	2	1698	7/16 X 2 LYNCH PIN	18	1	2971	MANUAL CANISTER 3-1/4 X 12	19	1	TOOLBOX_INJ	Injection Sled	20	2	5409	1/4-14 x 3/4 Hex Drill Screw
4	8	1017	HCS 5/16-18 x 1	18	1	2971	MANUAL CANISTER 3-1/4 X 12	19	1	TOOLBOX_INJ	Injection Sled	20	2	5409	1/4-14 x 3/4 Hex Drill Screw	21	2	5760	Blind Rived 1/8 Dia x .313-.375 Thickness
5	8	1345	Nylock 5/16-18 Z	19	1	TOOLBOX_INJ	Injection Sled	20	2	5409	1/4-14 x 3/4 Hex Drill Screw	21	2	5760	Blind Rived 1/8 Dia x .313-.375 Thickness	22	2	3003	ANDROS STICKER
6	4	TG1307-001	1376 HS TAPE GUIDE	20	2	5409	1/4-14 x 3/4 Hex Drill Screw	21	2	5760	Blind Rived 1/8 Dia x .313-.375 Thickness	22	2	3003	ANDROS STICKER	23	1	5182	Avoid Unsafe Operations or Maintenance
7	2	5994	ANDROS LOGO DECAL W/PHONE#..1.5" x 4"	21	2	5760	Blind Rived 1/8 Dia x .313-.375 Thickness	22	2	3003	ANDROS STICKER	23	1	5182	Avoid Unsafe Operations or Maintenance	24	1	5188	Crushing Hazard
8	6	1299	4413 Cast Clamp	22	2	3003	ANDROS STICKER	23	1	5182	Avoid Unsafe Operations or Maintenance	24	1	5188	Crushing Hazard	25	1	5183	Caution Decal Service Machine
9	2	SC1102-001	Single Spool Carrier	23	1	5182	Avoid Unsafe Operations or Maintenance	24	1	5188	Crushing Hazard	25	1	5183	Caution Decal Service Machine	26	1	1697	7/16 X 1-3/4 LYNCH PIN
10	2	SC1102-003	SINGLE SPOOL CARRIER (LH)	24	1	5188	Crushing Hazard	25	1	5183	Caution Decal Service Machine	26	1	1697	7/16 X 1-3/4 LYNCH PIN				
11	1	OP1201-001_(LH)	(46") OPERATOR STATION																
12	1	OP1201-001_(RH)	(46") OPERATOR STATION																
13	1	GW1501-001(LH).57	GAUGE WHEEL																
14	1	GW1501-001(RH).57	GAUGE WHEEL																



REVISIONS					REVISIONS				
ZONE	REV.	DESCRIPTION			ZONE	REV.	DESCRIPTION		
-	-				-	-			

REVISIONS					REVISIONS				
ZONE	REV.	DESCRIPTION			ZONE	REV.	DESCRIPTION		
-	-				-	-			

MATERIAL	SEE DETAILS
FILE NAME	TB2503-001
DIMENSIONS ARE IN INCHES GENERAL TOLERANCES UNLESS NOTED: X.X ±0.040 X.XX ±0.015 X.XXX ±0.005 FRACTION ±1/32 ANGLE ±1° SAW +0 -1/32	
DO NOT SCALE DRAWING	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ANDROS ENGINEERING. ANY REPRO- DUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ANDROS ENGINEERING IS PROHIBITED.	

ANDROS

ENGINEERING

P. O. 854
Santa Margarita
CA 93453
(805) 227-2801

DESCRIPTION:
4-ROW INJ IMPEMENT
ASSEMBLY

PART NO:
TB2503-001

REV.
N/C

DESIGNER
S. TORRES




SCALE: 1:22

WEIGHT: 3234.80 lbs

1/10/2023

SHEET 1 OF 3

8 7 6 5 4 3 2 1



MATERIAL	SEE DETAILS	
FILE NAME	TB2503-001	
DIMENSIONS ARE IN INCHES		DO NOT SCALE DRAWING
GENERAL TOLERANCES		
UNLESS NOTED:		
X.X ±0.060		
X.XX ±0.015	PROPRIETARY AND CONFIDENTIAL	
X.XXX ±0.005		
FRACTION ±1/32		
ANGLE ±1°		
SAW +0	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ANDROS ENGINEERING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ANDROS ENGINEERING IS PROHIBITED.	
- 1/32		

ANDROS ENGINEERING			P. O. 854 Santa Margarita CA 93453 (805) 227-2801
DESCRIPTION: 4-ROW INJ IMPLEMENT ASSEMBLY			
PART NO:		TB2503-001	REV. N/C
DESIGNER	S. TORRES	1/10/2023	
SCALE: 1:30	WEIGHT: 3234.80 lbs	SHEET 2 OF 3	

